

Contents

Acknowledgements	11	
List of text figures	6	
List of plates	10	???
List of tables	10	
Chapter 1. Introduction	13	
Chapter 2. The excavation	xxx	
Introduction		
The excavation by season		
Sonda 12B: <i>Area SE of Feature 64</i>		
<i>Feature 64</i>		
<i>Postholes between Feature 64 and Palisade trench 606</i>		
<i>The palisade trench and adjacent features</i>		
<i>Ditch 612</i>		
Sonda 12C: <i>Area NE of the palisade trench</i>		
<i>Ditch circuits G and H (Red Ditch)</i>		
<i>Sonda 19</i>		
<i>Sonda 12B</i>		
<i>Sonda 27</i>		
<i>Interpretation of the Red Ditch excavations</i>		
Sonda 12E		
Sonda 34		
Sonda 35 (Orchard trench)		
Chapter 3. Geophysical surveys of 1992 and 1993	xxx	
Orchard		
Lower field		
Interpretation		
Chapter 4. The finds, by Radka Šumberová and Anthony Harding	xxx	
Pottery		
Ceramic objects other than pottery		
Worked bone		
Copper alloy		
Stone and flint		
Industrial residues		
Amber		
Chapter 5. Dating, phasing and stratigraphy	xxx	
The affinities of the Velim finds		
Stratigraphic indications		
Absolute chronology		
Chapter 6. The human remains from Velim-Skalka, by Christopher J. Knüsel	xxx	
Chapter 7. The animal bones from Velim Skalka (British excavations 1992-95): a palaeoeconomic report, by Alan K. Outram and Stephanie Knight	xxx	
Chapter 8. A comparison of human and animal deposition at Velim-Skalka through an integrated approach, by Christopher Knüsel, Alan Outram and Stephanie Knight	xxx	

Chapter 9. Carbonized plant macrofossils from Velim Skalka: preliminary observations, by Carol Palmer	XXXX
Chapter 10. Interpretation and discussion	XXXX
The form of the site	
The evidence for defence and attack	
The evidence for domestic activity	
Cult and ritual	
Analogies	
Conclusions	
Chapter 11. Velim and its surroundings, by Radka Šumberová	XXXX
Chapter 12. The wider scene	XXXX
Defence and the development of Bronze Age warfare	
Identifying cult	
Burial ritual and the treatment of the dead	
Velim and the transition to the Urnfield cultures	
Final words: what next for Velim?	
Bibliography	XXXX
Appendices	XXXX
1. Particle size analysis of samples from Velim, by Robert S. Shiel	
2. Radiocarbon dates	

List of Figures

- Fig. 1.1. Location map showing the position of Kolín in central Europe
 Fig. 1.2. Location map for Velim in east-central Bohemia
 Fig. 1.3. Skalka hill showing excavation and survey areas discussed in this report
- Fig. 2.1. Position of trenches (Sondy) within the excavated area of Velim-Skalka
 Fig. 2.2. Sonda 12B, general plan
 Fig. 2.3. Sonda 12B, south-western end
 Fig. 2.4. Sonda 12B, Objekt 64, south-west facing section at upper excavation level
 Fig. 2.5. Sonda 12B, plan of Objekt 64 (north and south pits)
 Fig. 2.6. Sonda 12B, Objekt 64, south pit showing child skeletons and pottery scatter
 Fig. 2.7. Sonda 12B, Objekt 64, south pit, north-facing section
 Fig. 2.8. Sonda 12B, Objekt 64, north pit, sections across pit: a) south-west facing; b) north-west facing
 Fig. 2.9. Sonda 12B, Objekt 64, north pit, plan during excavation
 Fig. 2.10. Sonda 12B, Objekt 64, north pit, plan at a later stage of excavation
 Fig. 2.11. Sonda 12B, central area, plan showing pits and post-holes between Objekt 64 and Ditch 612
 Fig. 2.12. Sections of pits and post-holes shown in Fig. 2.11
 Fig. 2.13. Sonda 12B, central area, plan at a lower level than Fig. 2.11, showing pits and post-holes
 Fig. 2.14. Sections of pits and post-holes shown in Fig. 2.13
 Fig. 2.15. Sonda 12B, central area, plan of palisade trench 606 showing location of section trenches
 Fig. 2.16. Sonda 12B, central area, plan of palisade trench 606 showing location of section trenches
 Fig. 2.17. Sonda 12B, palisade trench 606 and adjacent features
 Fig. 2.18. Sections through palisade trench 606
 Fig. 2.19. Ditch 612 and palisade trench 606, north-east facing section
 Fig. 2.20. Ditch 612 and palisade trench 606, south-west facing section
 Fig. 2.21. Ditch 612 and palisade trench 606, south-west facing section
 Fig. 2.22. Ditch 612 and palisade trench 606, north-east facing section
 Fig. 2.23. Ditch 612, north-facing section
 Fig. 2.24. Ditch 612, plan in trenches A and G
 Fig. 2.25, a-b. Ditch 612, terminal in trench D at two stages of excavation
 Fig. 2.26. Sonda 12C, overall plan
 Fig. 2.27. Sonda 12C, south-eastern part

- Fig. 2.28. Sonda 12C, plan and sections of features in south-eastern part of trench
 Fig. 2.29. Sonda 12C, plan and section of context 2024
 Fig. 2.30. Sonda 12C, north-western area
 Fig. 2.31. Sonda 12C, features in the north-western area
 Fig. 2.32. Sonda 12C, palisade trench 2502 before excavation, showing location of sections
 Fig. 2.33. Sonda 12C, palisade trench 2502 after excavation
 Fig. 2.34, a-j. Sections through post-holes in palisade trench 2502
 Fig. 2.35. Sonda 12C, north-western area showing location of section trenches
 Figs. 2.36 – 2.39 Sonda 12C, north-western area, trench A, plans at successive stages of excavation
 Fig. 2.40, a-b. Sonda 12C, trench A, sections through ditch 2560. A: south-west facing; B: north-east facing
 Fig. 2.41 – 2.42. Sonda 12C, north-western area, trench B, plans at successive stages of excavation
 Fig. 2.43. Sonda 12C, trench B, sections through ditch 2616. Upper: north-east facing; lower: south-west facing
 Fig. 2.44. Sonda 12C, trench B, bone deposit in trench B
 Fig. 2.45. Sonda 12C, north-western area, trenches C and D
 Fig. 2.46. Sonda 12C, trenches C and D, sections of partially excavated ditch
 Fig. 2.47. Sonda 19, plan showing Ditch circuits G (45) and H (45A) (the “Red Ditch”)
 Fig. 2.48. Sonda 19, north-facing section
 Fig. 2.49. Sonda 19, bone deposit on bottom of outer ditch (H / 45A)
 Fig. 2.50. Sonda 12B, Řez 5, north-east facing section
 Fig. 2.51. Sonda 12B, Red Ditch section, plan
 Fig. 2.52. Sonda 12B, Red Ditch section, north-facing section
 Fig. 2.53. Sonda 27, Řez 1, south-facing section
 Fig. 2.54. Sonda 12B/C, plan
 Fig. 2.55. Sonda 12E, plan
 Figs 2.56 – 2.57. Sonda 12E, pit sections
 Fig. 2.58. Sonda 34, plan
 Fig. 2.59. Sonda 34, pit sections
 Fig. 2.60. Sonda 34, north-western area, plan
 Fig. 2.61. Sonda 34, ditch 4026, east-facing section
 Fig. 2.62. Sonda 34, pit 4028, south-facing section
- Fig. 3.1. Velim-Skalka, geophysical survey area in orchard
 Fig. 3.2. Velim- Dolní Nouzov, geophysical survey area
- Fig. 4.1. Finds categories in percent
 Fig. 4.2. Sherd numbers by fabric
 Fig. 4.3. Sherd weight by fabric
 Fig. 4.4. Average sherd weight by fabric
 Fig. 4.5. Fabric group percentage representation
 Fig. 4.6. Average sherd weight by fabric group
 Fig. 4.7. Numbers of rim types by fabric group
 Fig. 4.8. Numbers of base types by fabric group
 Fig. 4.9. Numbers of handle and knob types by fabric group
 Fig. 4.10. Numbers of decorative elements by fabric group
 Fig. 4.11. Percentage representation of vessel parts
 Fig. 4.12. Numbers of vessel parts
 Fig. 4.13. Rim numbers by type
 Fig. 4.14. Rim types
 Fig. 4.15. Handle and knob numbers by type
 Fig. 4.16. Handle and ledge types
 Fig. 4.17. Base numbers by type
 Fig. 4.18. Decorative element numbers by type
 Fig. 4.19. Decorative element types 1-7
 Fig. 4.20. Decorative element types 8-23
 Fig. 4.21. Vessel forms: jugs, cups, biconical vessels and amphorae
 Fig. 4.22. Vessel forms: jars, bowls and other forms
 Fig. 4.23. Pot forms from Objekt 64 North pit, in stratigraphical order
 Fig. 4.24. Pot forms from Ditch 612, in stratigraphical order
- Fig. 5.1. Probability distributions for radiocarbon dates from Velim-Skalka

- Fig. 6.1. Distal condylar surface of a human femur bearing evidence of osteoarthritic change
- Fig. 6.2. Cattle femoral caput with eburnation indicative of osteoarthritis
- Fig. 6.3. Frontal bone from a child exhibiting a thickened diploë layer indicative of iron deficiency anaemia
- Fig. 6.4. Human frontal with osteomata (benign tumours)
- Fig. 6.5. New bone formation on the visceral surface of a pig rib
- Fig. 6.6. New bone formation on the visceral surface of a cattle rib
- Fig. 6.7. Kostra 41, a 5 to 6-year-old child *in situ*
- Fig. 6.8. Kostra 46, a three to six-month old infant *in situ*
- Fig. 6.9. Kostra 48, the articulated remains of an adult and individual 47a, a 6 to 8 year-old child *in situ*
- Fig. 6.10. Close-up of Fig. 6.9 showing the flexed lower limbs of Kostra 47a in a squatting position
- Fig. 7.1. Proportions of species, as quantified by NISP and MAU, for all contexts.
- Fig. 7.2. A comparison of proportions of the four main species, as quantified by NISP, between objekts 64, 45, 612.
- Fig. 7.3. Element abundance, as quantified by MAU, for all contexts and species.
- Fig. 7.4. % survival of cattle by fusion stage (N=404)
- Fig. 7.5. % survival of ovicaprids by fusion stage (N=157)
- Fig. 7.6. % survival of pigs by fusion stage (N=175)
- Fig. 8.1. An example of Dobney and Rielly's (1988) bone zonation for the *os coxae* and its adapted human form
- Fig. 8.2. Human element representation at Velim-Skalka
- Fig. 8.3. Graph of composition (Human versus Animal NISP)
- Fig. 8.4. Graph of the proportions of the five main animal species (by NISP)
- Fig. 8.5. Pie chart showing the distribution of human bone by feature (numbers indicate NISP by feature and percentage of NISP for the whole human bone assemblage)
- Fig. 8.6. Graph of human part representation and % completeness
- Fig. 8.7. Graph of all animal part representation and % completeness
- Fig. 8.8. Graph of cattle part representation and % completeness
- Fig. 8.9. Graph of ovicaprid part representation and % completeness
- Fig. 8.10. Graph of pig part representation and % completeness
- Fig. 8.11. Graph of horse part representation and % completeness
- Fig. 8.12. Graph comparing proportions butchered, all species
- Fig. 8.13. Graph of proportions of butchery type
- Fig. 8.14. Diagram of human trauma
- Fig. 8.15. Human rib with two parallel cutmarks
- Fig. 8.16. Scanning electron micrograph x 10 of the human rib cutmarks depicted in Fig. 8.15
- Fig. 8.17. Scanning electron micrograph x 50 of the human rib cutmarks depicted in Fig. 8.15
- Fig. 8.18. Scanning electron micrograph x 10 on a human rib fragment bearing marks from excavation trowel damage
- Fig. 8.19. Three incised cutmarks on the posterior proximal aspect left human femur
- Fig. 8.20. Scanning electron micrograph of the incised cutmarks on a proximal left human femur depicted in Fig. 8.19
- Fig. 8.21. Traumatic decapitation-type injury to the gonial angle of a human mandible
- Fig. 8.22. Left parietal fragment bearing evidence for linear sharp force traumatic injury with crushing of the surrounding ectocranial bone
- Fig. 8.23. Ectocranial view of the same lesion depicted in Fig. 8.23 and 8.24, with the internal bevel
- Fig. 8.24. Photograph of cutmarks located in the vicinity of the lesion depicted in Figs 8.22 and 8.23
- Fig. 8.25. Scanning electron micrograph of the cutmarks depicted in Fig. 8.24
- Fig. 8.26. Depressed penetrating injury to the ectocranial surface of the left parietal with a radiating fracture line revealing the diploë layer beneath
- Fig. 8.27. View of the diploë layer with a 'bulb of percussion'-like appearance of the same specimen depicted in 8.26
- Fig. 8.28. Endocranial surface hinge fracture with a portion of incomplete bevel produced by shear forces
- Fig. 8.29. Diagram of cattle butchery
- Fig. 8.30. Diagram of ovicaprid butchery
- Fig. 8.31. Diagram of pig butchery
- Fig. 8.32. Diagram of horse butchery
- Fig. 8.33. Summary diagram of animal butchery
- Fig. 8.34. Interpretation diagram of animal butchery
- Fig. 8.35. Graph of burning proportions human/animal

- Fig. 8.36. Graph of proportions of burning type by context
 Fig. 8.37. Graph of proportions of burning type by species
 Fig. 8.38. Diagram of burning positions of human skeleton
 Fig. 8.39. Heavily calcined human intermediate phalanx
 Fig. 8.40. Human femur fragment with evidence of scorching
 Fig. 8.41. The same specimen as depicted in Fig. 8.40 showing the scorched cancellous bone within the femoral fragment
 Fig. 8.42. Scanning electron micrograph image of root etching
 Fig. 8.43. Graph of root etching and gnawing human/animal
 Fig. 8.44. Graph of root etching and gnawing by context
 Fig. 8.45. A distal right human humerus with abrasions on the anterior diaphysis
 Fig. 8.46. Graph of fracture type by species
 Fig. 8.47. Graph of animal fractures high marrow/low marrow
 Fig. 8.48. Graph of human fractures high marrow/low marrow
 Fig. 8.49. Morlan's percentage completeness for human remains
 Fig. 8.50. Fracture type proportions for human remains
 Fig. 8.51. NISP for North and South pits and Sonda 12C
 Fig. 8.52. Percentage completeness for human remains from Sondage 12B and 12C
 Fig. 8.53. Butterfly fracture from the diaphysis of a human humerus from Context 12/503
 Fig. 8.54. Helical fracture from a human right femoral fragment that also bears an impact from Context 12/2615
 Fig. 8.55. Helical fracture from a human right femoral fragment that also bears an impact from Context 12/221
 Fig. 8.56. Cut-marked human proximal left femur with dry fracture
 Fig. 8.57. Close-up of the dry fracture present on the femur depicted in Fig. 8.56
 Fig. 8.58. NISP for graph of fractures by context for identified animal
 Fig. 8.59. Graph of fractures by context for unidentified fragments
 Fig. 8.60. Graph of fragment sizes by context
 Fig. 8.61. The assemblages from Velim-Skalka plotted in the feasible regions of an attritional cemetery (A), a predicted living group (B), and historical warfare-related groups (C) (after Bishop and Knüsel 2005)
- Fig. 9.1. Abaxial view of a spikelet base of the 'new' type glume wheat (Jones *et al.* 2000)
 Fig. 9.2. Abaxial views of (left to right) einkorn (*T. monococcum*), emmer (*T. dicoccum*) and the 'new' type glume wheat spikelet bases from Velim Skalka context 640, Sonda 12
 Fig. 9.3. Adaxial views of the spikelet bases shown in Fig. 9.2
 Fig. 9.4. Lateral views of the spikelet bases shown in Figs 9.2 - 9.3
- Fig. 10.1. Velim-Skalka: plan showing all excavated areas
- Fig. 11.1. Extract from 1st Military Survey of Bohemia (1764-68)
 Fig. 11.2. Location of the outermost ditch circuit enclosing the area from Skalka to Velim village
 Fig. 11.3. Kolín district, showing findspots of the Tumulus and Lausitz cultures

Plates

- Plate 1. Pottery: cups (1-26, 29-32), jars (27-28)
 Plate 2. Pottery: jars (1-6), jug (7), jars and storage vessels (8-16)
 Plate 3. Pottery: jugs (1, 6-7, 12), amphorae (2-5, 8-11, 13-16)
 Plate 4. Pottery: large storage vessels
 Plate 5. Pottery: biconical vessels and amphorae
 Plate 6. Pottery: fingernail and finger-impressed decoration, cordons
 Plate 7. Pottery: handles, ledges and knobs
 Plate 8. Pottery: incised line and groove decoration
 Plate 9. Pottery: pricked and bossed decoration, and perforated sherds
 Plate 10. Pottery: amphora (1), bases (2-16)
 Plate 11. Pottery: bowls (1-2, 5, 7-15), conical cups (3-4, 6), miniature vessels (16-17), jars (18-22), amphorae (23-31)
 Plate 12. Pottery: rims: everted, flaring, horizontal, bowls, and straight
 Plate 13. Pottery: rims: incurving, straight, carinated vessels, bellied vessels
 Plate 14. Miscellaneous finds: flint (1-3), bone (4-6), copper alloy (7-23), fired clay (24-35), iron (36-38)

Plate 15. Figurine 95/1937

Plate 16. Ceramic discs (1-9, 11-13), perforated discs or whorls (10, 14-15), stone (16-21)

Plate 17. Querns (1-2), clay weight fragments (3-4)

Colour plates

Colour Plate 1. A. Aerial view of Skalka from the south-west, 1993; B. View of Skalka from the east; C. Sonda 12B, Objekt 64, South pit, showing upper levels of Kostra (skeleton) 41; D. Sonda 12B, Objekt 64, South pit, showing context 234 (Kostra 41) in matrix 220

Colour Plate 2. A. Sonda 12B, Objekt 64, North pit viewed from north, at level of context 3009; B. Sonda 12B, Objekt 64, North pit viewed from south, at level of context 3012; C. Sonda 12B, Objekt 64, North pit viewed from west, completely excavated

Colour Plate 3. A. Sonda 12B, Red Ditch, north-facing section, north-west part; B. Sonda 12B, Red Ditch, south-facing section, detail showing lumps of coloured marl; C. Sonda 12B, Red Ditch, north-facing section, detail from the section shown in A above; D. Sonda 12B, Red Ditch, basal deposit 117 viewed from north-west

Colour Plate 4. A. Sonda 12B, Ditch 612, section in trench d, viewed from south-west; B. Sonda 12C, palisade (prior to excavation) viewed from south; C. Sonda 12C, trench B, context 2636 (with parts of Kostra 47a, 47b and 48); Sonda 12B/12E, pit rows viewed from south

Tables

Table 4.1. Breakdown of finds by material

Table 4.2. Numbers of sherds, weight and average sherd weight by fabric

Table 4.3. Pottery groups illustrating recorded minimum and maximum values for dimension and thickness compared with overall values for sherd size and thickness for the whole assemblage

Table 4.4. Dimensions of clay discs

Table 5.1. Radiocarbon dates from Velim-Skalka

Table 7.1. Species list and quantification (NISP and MAU) for all contexts

Table 9.1. Summary table of the distribution and concentration of carbonized plant macrofossils in the sampled contexts from Velim Skalka.